

 **FRESH**

# ELECTRIC WATER HEATER



**BIG ON FEATURES**  
**LIGHT ON COST**

Now Available in UAE

 Fast Heating |  7 Years Warranty |  Energy Efficient





**Relax :**  
50L - 80L - 100L



**Marina :**  
10L - 15L - 30L



**Marina :**  
50L - 80L - 100L  
(Horizontal)

**7 YEAR WARRANTY**

## Specification

Electrical Specs		Sizes			
Rated Voltage	220 - 240 V	Product Capacities	50 L	80 L	100 L
Rated Frequency	50 – 60 Hz	Product Size (w)	Φ440mm	Φ440mm	Φ440mm
Rated Power	1200 / 1500 / 2000 / 2500 W	Product Size (L)	453mm	453mm	453mm
Working Pressure	7.5 / 9 bar (0.75 / 0.9 Mpa)	Product Size (H)	556mm	780mm	940mm
Hydraulic connections	G1/2"	Pipes Distance	100mm	100mm	100mm
Basic insulation	class I	Net Weight	16.5Kg	21.6Kg	24Kg
Degree of protection	IP24	Gross Weight	18Kg	23.2Kg	25.9Kg
Load Profile	M 50L & 80L - L 100L	QTY/ 20 ft	170Pcs	140Pcs	110Pcs
ErP Class	C	QTY/ 40 HQ	480Pcs	360Pcs	300Pcs

## About Us

Founded in Egypt in 1987, **Fresh** has grown into a global brand delivering modern, affordable, and high-quality products.

With over 1,000 models manufactured in its own facilities, **Fresh** continues to exceed both local and international expectations



**ALABAMA**  
BUILDING MATERIAL TRADING L.L.C





# Marina :

50L - 80L - 100L  
(Horizontal)



## Specification

Electrical Specs		Sizes			
Rated Voltage	220 - 240 V	Product Capacities	50 L	80 L	100 L
Rated Frequency	50 – 60 Hz	Product Size (w)	Φ440mm	Φ440mm	Φ440mm
Rated Power	1200 / 1500 / 2000 / 2500 W	Product Size (L)	453mm	453mm	453mm
Working Pressure	7.5 / 9 bar (0.75 / 0.9 Mpa)	Product Size (H)	556mm	780mm	940mm
Hydraulic connections	G1/2"	Pipes Distance	100mm	100mm	100mm
Basic insulation	class I	Net Weight	16.5Kg	21.6Kg	24Kg
Degree of protection	IP24	Gross Weight	18Kg	23.2Kg	25.9Kg
Load Profile	M 50L & 80L - L 100L	QTY/ 20 ft	170Pcs	140Pcs	110Pcs
ErP Class	C	QTY/ 40 HQ	480Pcs	360Pcs	300Pcs

## About Us

Founded in Egypt in 1987, **Fresh** has grown into a global brand delivering modern, affordable, and high-quality products.

With over 1,000 models manufactured in its own facilities, **Fresh** continues to exceed both local and international expectations





**Relax:**  
50L - 80L - 100L



**Marina :**  
50L - 80L - 100L  
120L - 150L  
(Vertical)



**Marina :**  
50L - 80L - 100L  
(Horizontal)



**Marina :**  
10L - 15L - 30L

## Specification

Electrical Specs		Sizes				
Rated Voltage	220 - 240 V	50 L	80 L	100 L	120 L	150L
Rated Frequency	50 – 60 Hz	Φ 450mm				
Rated Power	1200 / 1500 / 2000 / 2500 W	475mm	475mm	475mm	475mm	475mm
Working Pressure	7.5 / 9 bar (0.75 / 0.9 Mpa)	556mm	786mm	943mm	1016mm	1241mm
Hydraulic connections	G1/2"	100mm	100mm	100mm	100mm	100mm
Basic insulation	class I	16.8Kg	21Kg	25.5Kg	30Kg	33Kg
Degree of protection	IP24	18.8Kg	23.4Kg	28Kg	32Kg	35.6Pcs
Load Profile	M 50L & 80L - L 100L	170Pcs	140Pcs	110Pcs	-----	-----
ErP Class	C	480cs	360Pcs	300Pcs	240Pcs	240Pcs

## About Us

Founded in Egypt in 1987, **Fresh** has grown into a global brand delivering modern, affordable, and high-quality products.

With over 1,000 models manufactured in its own facilities, **Fresh** continues to exceed both local and international expectations

